201 E. Main Suite 600 El Paso, TX 79901 (915) 887-3410 Fax: (915) 774-0201

ADDENDUM

To: All Interested Proposers

From: Diana Billingsley

Date: June 13, 2017

Subject: Provide Electronic Health Record Technologies RFP #17-015 Addendum III

This addendum includes responses to all questions submitted as of Monday, June 12, 2017.

It also serves to advise proposers of an extension for the RFP listed above. New due date is June 30, 2017 by 3:00 p.m. MT. Question Deadline remains the same. Please continue to check our website for any addendums.

Any questions or additional information required by interested vendors must be emailed to bidquestions@ehnelpaso.org. RFP number and title must be on the "Subject Line" of the email. Attempts to circumvent this requirement may result in rejection of the proposal.

RFP No. 17-015 Provide Electronic Health Record Technologies Q&A

The queries raised by the bidders via subsequent emails up till June 12, 2017 and clarifications with regard to bid documents for the procurement of EHR Technologies are given as under:

Question Raised	Reply/Clarification
Will there be an extension?	New due date is June 30, 2017 3:00 PM MT.
Does EHN currently have an EHR in place? If so, which system and how long has it been in place? Can you describe any	Cerner- Anasazi. Product is at end of life. Legacy product with limited functionality. Not user friendly.
challenges and reasons for considering a new EHR?	
Page 4, General Provisions, Section 1, RFP Package – The reference to 'proposals must be submitted on forms provided by EHN' should be interpreted as referring to responses to Appendices A – K and not narrative answers for the Response Package Components beginning on page 18?	This is in reference to Appendices E-J.
Page 10, General Provisions, Section 19, Proposal Ideas and Concepts – Can Proposers assume that any this provision does not apply to proposer-provided confidential information, including software screen shots and other intellectual property? Is it possible for proposer to mark its confidential information as such in order to limit misappropriation or disclosure under future FOIA requests?	Information will be protected until bid opening. If a contract is awarded the terms of the contract can/will dictate how confidential information is handled and/or disclosed under an FOIA request, including intellectual property.
Page 11, General Provisions, Section 22, C, Performance Bond – Is this a firm requirement for this project or will EHN consider waiving this requirement? If not, can EHN provide additional information and guidance for proposers wishing to comply with this requirement?	Firm requirement. Requirements are clearly stated.
Page 19, General Provisions, Section ii, C, Lab Integrations—The RFP lists LabCorp and Quest. Does EHN have contracts with these lab providers? Does EHN have contracts with other lab providers?	UMC and the service will expand to other providers.
Page 19, General Provisions, Section e, Data Flexibility and Portability – Does EHN anticipate migrating data from any existing information systems? If so, can additional information be provided about this data?	Yes. SQL Database
Page 19, General Provisions, Section e, Data Flexibility and Portability – Regarding the reference to on-site training, does EHN desire the proposer to provide Train the Trainer training or end user training? Can EHN provide additional information related to the project training requirements?	End user training is preferred.
Page 20, General Provisions, Section f, Patient Portal – Can EHN provide additional information related to 'rep-payee services'?	https://www.ssa.gov/payee/index.htm
Page 21, General Provisions, Section I, APIs – Do any firm requirements exist related to this requirement?	Open platforms and interoperability are a must.
Page 27, General Provisions, Section xx, BECA Requirements — Do the listed payers represent only BECA certified payers or all EHN payers? If EHN bills other payers, can a master payer list be provided?	Yes. Other payers do exist. A list will be available, upon request, to finalists.
Page 48, Section M, Clinical Document Architecture – Is EHN currently exchanging CDA documents with other provider partners? If so, how many separate providers or EHR systems?	2-5
Page 48, Section N, HL7 Standard – Is this an actual project	Yes. Health Information Exchanges, CDAs.

In case of any further information/clarification, they may send email and ask through bidquestions@ehnelpaso.org, individual visits are not entertained before June 20, 2017.